

इंटरनेट

मानक

Disclosure to Promote the Right To Information

Whereas the Parliament of India has set out to provide a practical regime of right to information for citizens to secure access to information under the control of public authorities, in order to promote transparency and accountability in the working of every public authority, and whereas the attached publication of the Bureau of Indian Standards is of particular interest to the public, particularly disadvantaged communities and those engaged in the pursuit of education and knowledge, the attached public safety standard is made available to promote the timely dissemination of this information in an accurate manner to the public.

“जानने का अधिकार, जीने का अधिकार”

Mazdoor Kisan Shakti Sangathan

“The Right to Information, The Right to Live”

“पुराने को छोड़ नये के तरफ”

Jawaharlal Nehru

“Step Out From the Old to the New”

IS 8692-2 (2004): Cylindrical shanks for milling cutters,
Part 2: Dimensional characteristics of flatted cylindrical
shanks [PGD 32: Cutting tools]



“ज्ञान से एक नये भारत का निर्माण”

Satyanarayan Gangaram Pitroda

“Invent a New India Using Knowledge”



“ज्ञान एक ऐसा खजाना है जो कभी चुराया नहीं जा सकता है”

Bhartrhari—Nitiśatakam

“Knowledge is such a treasure which cannot be stolen”

BLANK PAGE



भारतीय मानक
मिलिंग कटर के लिए बेलनाकार शैंक
भाग 2 समतल बेलनाकार शैंक के आयामी अभिलक्षण
(दूसरा पुनरीक्षण)

Indian Standard
CYLINDRICAL SHANKS FOR MILLING CUTTERS
PART 2 DIMENSIONAL CHARACTERISTICS OF FLATTED CYLINDRICAL SHANKS
(*Second Revision*)

ICS 25.100.20

© BIS 2013

BUREAU OF INDIAN STANDARDS
MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG
NEW DELHI 110002

NATIONAL FOREWORD

This Indian Standard (Part 2) (Second Revision) which is identical with ISO 3338-2 : 2007 'Cylindrical shanks for milling cutters — Part 2 : Dimensional characteristics of flatted cylindrical shanks' issued by the International Organization for Standardization (ISO) was adopted by the Bureau of Indian Standards on the recommendation of the Cutting Tools Sectional Committee and approval of the Production and General Engineering Division Council.

This standard was originally published in 1978 based on ISO 3338-1 : 1977 'Parallel shanks for milling cutters — Part 1 : Dimensional characteristics of plain parallel shanks' and ISO 3338-2 : 1977 'Parallel shanks for milling cutters — Part 2 : Dimensional characteristics of flatted parallel shanks'. The first revision of this standard was published in 2004 with considerable assistance from ISO 3338-2 : 2000 'Cylindrical shanks for milling cutters — Part 2 : Dimensional characteristics of flatted cylindrical shanks'. This second revision is being harmonized with ISO 3338-2 : 2007 by adoption in dual numbering system to make pace with the latest developments that have taken place at international level.

This standard is now published in three parts with general title 'Cylindrical shanks for milling cutters'. The other parts in this series are:

- Part 1 Dimensional characteristics of plain cylindrical shanks
- Part 3 Dimensional characteristics of threaded shanks

The text of ISO Standard has been approved as suitable for publication as an Indian Standard without deviations. Certain terminology and conventions are, however, not identical to those used in Indian Standards. Attention is particularly drawn to the following:

- a) Wherever the words 'International Standard' appear, referring to this standard, they should be read as 'Indian Standard'.
- b) Comma (,) has been used as a decimal marker while in Indian Standards the current practice is to use a point (.) as the decimal marker.

In this adopted standard, reference appears to certain International Standards for which Indian Standards also exist. The corresponding Indian Standards, which are to be substituted in their respective places are listed below along with their degree of equivalence for the editions indicated:

<i>International Standard</i>	<i>Corresponding Indian Standard</i>	<i>Degree of Equivalence</i>
ISO 2768-1 : 1989 General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications	IS 2102 (Part 1) : 1993 General tolerances: Part 1 Tolerances for linear and angular dimensions without individual tolerance indications (<i>third revision</i>)	Identical
ISO 3338-1 : 1996 Cylindrical shanks for milling cutters — Part 1: Dimensional characteristics of plain cylindrical shanks	IS 8692 (Part 1) : 2004 Cylindrical shanks for milling cutters: Part 1 Dimensional characteristics of plain cylindrical shanks (<i>first revision</i>)	do
ISO 3338-3 : 1996 Cylindrical shanks for milling cutters — Part 3: Dimensional characteristics of threaded shanks	IS 8692 (Part 3) : 2007 Cylindrical shanks for milling cutters: Part 3 Dimensional characteristics of threaded shanks	do

For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS 2 : 1960 'Rules for rounding off numerical values (*revised*)'. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

Indian Standard
CYLINDRICAL SHANKS FOR MILLING CUTTERS
PART 2 DIMENSIONAL CHARACTERISTICS OF FLATTED CYLINDRICAL SHANKS
(Second Revision)

1 Scope

This part of ISO 3338 specifies the dimensions of flatted cylindrical shanks for milling cutters — of diameters 6 mm to 20 mm for single-flatted shanks, 25 mm to 63 mm for double-flatted shanks and 6 mm to 32 mm for shanks with an inclined clamping surface. In the case of single-flatted shanks, it is applicable to both single-ended cutters and double-ended cutters, as double-flatted shanks cannot admit single-ended cutters.

The dimensions of plain cylindrical shanks and threaded shanks are given in ISO 3338-1 and ISO 3338-3, respectively.

The two shank types covered by ISO 3338-1 and this part of ISO 3338 have the same dimensional characteristics (diameters and lengths) but different tolerances on diameters, namely:

- h8 for plain cylindrical shanks, commonly used for tools mounted in collets;
- h6 for flatted cylindrical shanks, intended to be mounted in chucks and secured with a clamping screw, and requiring an accuracy adjustment.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2768-1:1989, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

3 Dimensions

3.1 General

All dimensions and tolerances are given in millimetres. Tolerances not specified shall be of tolerance class m, in accordance with ISO 2768-1:1989.

3.2 WE form — Flatted cylindrical shanks with single flat for diameter d_1 of 6 mm to 20 mm

The dimensions of flatted cylindrical shanks with a single flat are shown in Figure 1 and given in Table 1.




Figure 1 — WE form — Flatted cylindrical shanks with single flat

3.3 WE form — Flatted cylindrical shanks with double flat for diameter d_1 of 25 mm to 63 mm

The dimensions of flatted cylindrical shanks with a double flat are shown in Figure 2 and given in Table 1.




Figure 2 — WE form — Flatted cylindrical shanks with double flat

Table 1 — WE form — Flatted cylindrical shanks with single or double flat

Dimensions in millimetres

d_1 h6	l_1 $\begin{smallmatrix} +2 \\ 0 \end{smallmatrix}$	l_2 $\begin{smallmatrix} 0 \\ -1 \end{smallmatrix}$	l_3 $\begin{smallmatrix} +0,05 \\ 0 \end{smallmatrix}$	l_4 $\begin{smallmatrix} +1 \\ 0 \end{smallmatrix}$	h h11
6	36	18	4,2	—	4,8
8			5,5		6,6
10	40	20	7		8,4
12	45	22,5	8		10,4
14					12,7
16	48	24	10		14,2
18					16,2
20	50	25	11		18,2
25	56	32	12	17	23
32	60	36	14	19	30
40	70	40			38
50	80	45	18	23	47,8
63	90	50			60,8

3.4 WN form — Flatted cylindrical shanks with inclined clamping surface

The dimensions of flatted cylindrical shanks with an inclined clamping surface are shown in Figure 3 and given in Table 2.




Figure 3 — WN form — Flatted cylindrical shanks with inclined clamping surface

Table 2 — WN form — Flatted cylindrical shanks with inclined clamping surface

Dimensions in millimetres

d_1 h6	l_1 $+2$ 0	l_2	l_5 0 -1	h h11	h_1	b_1	b_2	r_2
6	36	18	25	4,8	5,4	3,5	4,8	1,2
8				6,6	7,2	4,7	6,1	
10	40	20	28	8,4	9,1	5,7	7,3	
12	45	22,5	33	10,4	11,2	6	8,2	
14				12,7	—	—	8,1	1,6
16	48	24	36	14,2	15	7,6	10,1	
18				16,2	—	—	10,8	
20	50	25	38	18,2	19,1	8,4	11,5	
25	56	32	44	23	24,1	9,3	13,6	
32	60	36	48	30	31,2	9,9	15,5	

Bureau of Indian Standards

BIS is a statutory institution established under the *Bureau of Indian Standards Act*, 1986 to promote harmonious development of the activities of standardization, marking and quality certification of goods and attending to connected matters in the country.

Copyright

BIS has the copyright of all its publications. No part of these publications may be reproduced in any form without the prior permission in writing of BIS. This does not preclude the free use, in course of implementing the standard, of necessary details, such as symbols and sizes, type or grade designations. Enquiries relating to copyright be addressed to the Director (Publications), BIS.

Review of Indian Standards

Amendments are issued to standards as the need arises on the basis of comments. Standards are also reviewed periodically; a standard along with amendments is reaffirmed when such review indicates that no changes are needed; if the review indicates that changes are needed, it is taken up for revision. Users of Indian Standards should ascertain that they are in possession of the latest amendments or edition by referring to the latest issue of 'BIS Catalogue' and 'Standards: Monthly Additions'.

This Indian Standard has been developed from Doc No.: PGD 32 (1174).

Amendments Issued Since Publication

Amendment No.	Date of Issue	Text Affected

BUREAU OF INDIAN STANDARDS

Headquarters:

Manak Bhavan, 9 Bahadur Shah Zafar Marg, New Delhi 110002

Telephones: 2323 0131, 2323 3375, 2323 9402

Website: www.bis.org.in

Regional Offices:

Telephones

Central	: Manak Bhavan, 9 Bahadur Shah Zafar Marg NEW DELHI 110002	{ 2323 7617 2323 3841
Eastern	: 1/14, C.I.T. Scheme VII M, V.I.P. Road, Kankurgachi KOLKATA 700054	{ 2337 8499, 2337 8561 2337 8626, 2337 9120
Northern	: SCO 335-336, Sector 34-A, CHANDIGARH 160022	{ 260 3843 260 9285
Southern	: C.I.T. Campus, IV Cross Road, CHENNAI 600113	{ 2254 1216, 2254 1442 2254 2519, 2254 2315
Western	: Manakalaya, E9 MIDC, Marol, Andheri (East) MUMBAI 400093	{ 2832 9295, 2832 7858 2832 7891, 2832 7892

Branches: AHMEDABAD. BANGALORE. BHOPAL. BHUBANESHWAR. COIMBATORE. DEHRADUN. FARIDABAD. GHAZIABAD. GUWAHATI. HYDERABAD. JAIPUR. KANPUR. LUCKNOW. NAGPUR. PARWANOO. PATNA. PUNE. RAJKOT. THIRUVANATHAPURAM. VISAKHAPATNAM.